From: Nonresponsive based on revised scope @WestonSolutions.com]

Sent: 6/4/2019 2:02:37 PM

To: Baker, Lorie [Baker.Lorie@epa.gov]

Subject: RE: Blades Groundwater Plume QA Issue Update - Pre-Decisional

Ex. 5 Deliberative Process (DP)

Nonresponsive based on revised scope

Principal Project Scientist Weston Solutions, Inc.

Nonresponsive based on revised scope

From: Baker, Lorie [mailto:Baker.Lorie@epa.gov]

Sent: Tuesday, June 04, 2019 9:45 AM

To: Nonresponsive based on revised scope @WestonSolutions.com>

Subject: RE: Blades Groundwater Plume QA Issue Update - Pre-Decisional

** External Email **

Ex. 5 Deliberative Process (DP)

From: Nonresponsive based on revised scope @WestonSolutions.com>

Sent: Tuesday, June 04, 2019 9:15 AM

To: Baker, Lorie < Baker.Lorie@epa.gov >; O'Loughlin, Connor < oloughlin.connor@epa.gov >

Subject: RE: Blades Groundwater Plume QA Issue Update - Pre-Decisional

Hi Lorie,

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

I am available for a call if you both want to discuss
Nonresponsive based on revised scope
Principal Project Scientist
Weston Solutions, Inc.
Nonresponsive based on revised scope
From: Baker, Lorie [mailto:Baker.Lorie@epa.gov]
Sent: Monday, June 03, 2019 4:02 PM
To: Nonresponsive based on revised scope @WestonSolutions.com>; O'Loughlin, Connor <oloughlin.connor@epa.gov></oloughlin.connor@epa.gov>
Subject: FW: Blades Groundwater Plume QA Issue Update - Pre-Decisional
Can you both take a look at the GDT issue below and maybe we can have a call some time tomorrow to discuss Ex. 5 Deliberative Process (DP)
Thanks
Lorie
From: Nonresponsive based on revised scope
Sent: Monday, June 03, 2019 3:58 PM
To: Baker, Lorie < <u>Baker.Lorie@epa.gov</u> >; Jeng, Terry < <u>Jeng.Terry@epa.gov</u> >
Cc: Nonresponsive based on revised scope @gdit.com>; Nonresponsive based on revised scope @skeo.com>
Subject: Blades Groundwater Plume QA Issue Update - Pre-Decisional
Lorie.

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)



Thanks,

Nonresponsive based on revised scope

Environmental Scientist
Federal Civilian – Science and Engineering

Nonresponsive based on revised scope

6361 Walker Lane, Suite 300 Alexandria, VA 22310 www.gdit.com

Nonresponsive based on revised scope

GENERAL DYNAMICS

Pre-Decisional

This electronic message transmission contains information from GDIT that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this email shall not operate to bind GDIT to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.